

EXPLORE WATER QUALITY IN OKALOOSA COUNTY, FLORIDA

FEBRUARY | 2025

Okaloosa Waterwatch

MID-BAY BRIDGE WATER QUALITY - NICEVILLE, OKALOOSA COUNTY, FL

30.436100 -86.425300


Why, How, What of Water Quality

The quality of water is important for healthy environments, humans, and economies. Monitoring, protecting, and enhancing water quality depends on awareness and understanding of how water connects to your life. Water quality is the condition of water as designated by a particular use and the biological, chemical, and physical components. Measurement of these components provide an opportunity to create baselines and assess the condition of water now and over time.

Okaloosa Waterwatch highlights water quality data collected at a site in Okaloosa County. This month's site is the **Mid-bay Bridge @ 30.436100 -86.425300**.

Salinity and Temperature

Average in 2023



Annual average calculated from monthly samples collected over a three-year period (2021, 2022, and 2023)

Learn More About Water Chemistry

Salinity

The measure of dissolved salts in the water and reported in parts per thousand (ppt) units.

Temperature

The physical quantity of heat present in water and reported in degrees Fahrenheit.

Total Phosphorus

An essential nutrient for aquatic plants and animals and Total Phosphorus (TP) measures all forms of phosphorus in water, reported in micrograms per liter (µg/L).

Total Nitrogen

An essential nutrient for aquatic plants and animals and Total Nitrogen (TN) measures all forms of phosphorus in water, reported in micrograms per liter (µg/L).

Chlorophyll


Chlorophyll (CHL) is a pigment used to estimate algae in water, reported in micrograms per liter (µg/L).

Dissolved Oxygen

The amount of Dissolved Oxygen (DO) in the water and reported as milligrams per liter (mg/L).

Nutrients, Dissolved Oxygen, and Chlorophyll


Average in 2023



Numeric Nutrient Criteria

The Department of Environmental Protection (DEP) established numeric nutrient criteria to understand that state of water. Criteria were set for the Choctawhatchee Bay by zones based on water chemistry indicative of a healthy ecosystem. The 3-year Average TP, TN, and CHL at the MidBay Bridge site did not exceed designated numeric nutrient criteria.

Numeric Nutrient Zones



Water Quality Summary

	2021	2022	2023
TP	Meets	Meets	Meets
TN	Meets	Meets	Meets
CHL	Meets	Meets	Meets
DO	Hypoxic	Hypoxic	Normoxic

Meets = Annual average within numeric nutrient criteria
 Normoxic = Annual average within normal limits
 Hypoxic = Annual average of concern for aquatic life (below 4 mg/L)