Cotton and Regulatory Update – 2024










- > Protecting the toolbox
- Regulatory update
- > Weed control

Stanley Culpepper University of Georgia Tifton GA

Regulations and Resistance Pose A Great Threat



- Each product below faces significant challenges immediately.
- > ~95% of all pesticides are threatened by the Endangered Species Act
- Applicators must ensure every pesticide goes on target and stays there



The Endangered Species Act (ESA)

ESA implemented in 1973

➤ Provides framework to conserve & protect endangered & threatened species & their habitats!

Total of ~1800 species + 900 critical habitats!!!









What is EPA's Approach to Protect Species



EPA's Workplan to Protect Species
EPA's Vulnerable Species Pilot Project
EPA's Herbicide Strategy



If EPA's <u>PROPOSED</u> Vulnerable Species and/or Herbicide Strategy go into action as is.....we are done!!!

- > Key Word: Proposed
- Ag must engage!!!!!!!!!!!

UGA Ext Comments - Herbicide Strategy

- > 28 GA county Ext offices letters
- > 16 farmers joined UGA Ext. letters
- ➤ 31 GA farmer submitted letters in cooperation with UGA Ext. Agents

Dicamba – Tolerant Crops

- THE REPORT OF AUTOM
- ➤ Labels vacated 2/6/24 due to registration procedure
- > EPA allowed use of all stocks on 2/14/24, no production
- >Stock inventory
 - Farmers can purchase stocks
 - Nationally, significant quantity
 - Locally, hearing very limited




> Behavior in 2024 will impact potential for these labels







Dicamba- vs. Liberty-based programs: Palmer amaranth control. TyTy, GA. 2022.




Programs: sequential Xtendimax + glyphosate or Liberty + glyphosate applications 10 d apart fb glyphosate + diuron at layby 14 d later. Rates included XtendiMax 0.5 lb ai/A; glyphosate 1.13 lb ae/A, Liberty 0.53 lb ai/A. Timely program was initiated with 3-5 inch weed height; delayed programs 6-10 inch.

Dicamba- vs. Liberty-based programs: Palmer amaranth control. TyTy, GA. 2022.



To Improve Liberty System

- More timely
- Stronger residual program
- Rate
- GPA
- Time of day
- Temperature / humidity



Delayed programs 6-10" weeds

Programs: sequential Xtendimax + glyphosate or Liberty + glyphosate applications 10 d apart fb glyphosate + diuron at layby 14 d later.
Rates included XtendiMax 0.5 lb ai/A; glyphosate 1.13 lb ae/A, Liberty 0.53 lb ai/A. Timely program was initiated with 3-5 inch weed height; delayed programs 6-10 inch.

Diuron – Comments July 2022

UGA Ext.: 32 letters with 580 signatures, EPA tour

Cotton Commission: letter of support, EPA tour

National Cotton Council: letter of support, EPA tour

What Happens Next In GENERAL?

- 6-8 mo after comments issue decision
- 2 months for industry review/fix labels
- EPA reviews corrections several months
- Approve label ~ 1 year to adopt

Alite 27 Systems Can Be Strong!

What a rollercoaster.....

- 1. For years, research at 3 oz/A per product with strong results!
- 2. Because of regulatory concerns, 2023 research focused on 1.5 to 2 oz/A.
- 3. At one point in 2023, likely would not get a registration at all.
- 4. Late fall 2023, may have a chance to be back at 3 oz/A!

Alite +
Reflex


Alite +
Direx

Alite 27 Systems Can Be Strong!


- 1. Must plant tolerant cultivar (Stoneville)
- 2. Little to no crop response
- 3. Residual at 2.5 to 3 oz/A is very good
- 4. Tank-mix needed, very broad spectrum



Number of emerged Palmer amaranth/A at 29 d. Macon Co.



Number of emerged Palmer amaranth/A at 21 d.





FLURIDONE GROUP 12 HERBICIDE


Brake®

Preemergence herbicide for use in cotton and peanut to control a range of annual grass and small seeded broadleaf weeds including pigweed.






Level of PPO Resistance in GA Palmer*




*BAS 850 = Trifludimoxazin (Vulcarus)

Brake + Diuron PRE
RU + Dicamba POST 1
Dual POST 1B
RU + Dicamba POST 2
Direx/MSMA/Staple Layby


Number of emerged Palmer amaranth/A at 21 d. Macon Co.





Labeled overtop after 5 leaf cotton.

- ➤ Injury and crop stunting between 15-30%; crop recovers in a few weeks.
- ➤ Mid-South scientists not concerned with aggressive cultivars we now grow.
- ➤ Very useful herbicide....growers will have to decide in regards to injury.




GAME CHANGER – Nutsedge, Spiderwort, Morningglory, Annual Grasses, and most other weeds!!





RU + Direx + Envoke Direx + MSMA + Envoke

Zidua Applied on Fertilizer **Applied with gandy** 250 lbs/A



- Spray is best for weed control; fertilizer beneficial in a system
 - Mid-south adoption in some areas!
- So far, no relevant injury with fertilizer applications!

Liberty Ultra

- Registration fall 2023??
- Targeted launch 2024.
- Full launch 2025.



Large number studies in 2023, everything looks good so far.



News Release

BASF Announces Liberty ULTRA Herbicide – Powered by Glu-L Technology

- Beginning in 2024, BASF will introduce Liberty ULTRA herbicide powered by Glu-L Technology.
- Liberty ULTRA herbicide will give U.S. farmers a new post knockdown tool for broad spectrum weed control in glufosinate tolerant canola, corn, cotton, and soybean.
- Anticipated registration is late 2023 and will enable a targeted launch of Liberty ULTRA herbicide in 2024 and full launch in 2025.

INTRODUCING ZALO[™] HERBICIDE — DELIVERED BY PROLEASE[™] TECHNOLOGY





POSTEMERGENCE CONTROL
WITH MULTIPLE MODES OF
ACTION FOR TRAIT-ENABLED
CROPS IN A CROP-SAFE
FORMULATION



ACTIVE INGREDIENTS

- Glufosinate
- Quizalofop

POSTEMERGENCE TIMING




- Early-Post
- Mid-Post Without Cutoff Dates



Formulation	Soluble liquid — 2.57 lb/gal 2.34 lb glufosinate 0.23 lb quizalofop
Use Rate	Soybean/Cotton: 32-43 fl oz/A; up to 72 fl oz/A per year Canola: 22-29 fl oz/A; up to 72 fl oz/A per year
Restricted Entry Interval (REI)	12 hours (under EPA review)
Rainfast	Rainfall or overhead irrigation within 4 hours after application may result in reduced weed control
Expected Pack Sizes	2x2.5 gallon jugs & 250 gallon totes




Texas Millet Control by RU as Influenced by Dicamba



Don't forget antagonism.....dicamba as well as Liberty with Roundup

Goosegrass control 15 days after a single application. Moultrie, GA.



Grass Complaints From Roundup + Dicamba/Liberty Continue

- 1. START WITH THE CORRECT PRE!!!!!
- 2. No less than 30 oz/A PowerMax 3 or equivalent
- 3. Most grasses 3" or less; goosegrass less than 1"
- 4. Separate the dicamba and Roundup is a good choice
- 5. Environmental conditions huge impact
- 6. Sequential applications....not so effective for goosegrass!!



Many are clearly over using dicamba





Its was 20 years ago, lets not do again!

Palmer Amaranth Plants During Early Season.






No Deep Tillage

Deep Turn

No Herbicides

Influence of burial depth on Palmer amaranth emergence



Keeley et al. (1987) reported 36-44% emergence at 0-1", 7% at 2", and 2% at 3".

Cover Crop CAN Reduce Emergence of Many Weed Species



Level of Biomass is Important – No Herbicides



7000 lb/A



3000 lb/A



2000 lb/A

dry weight

Science, Cooperation, & Communication



















